

CHRISTIE

CC2 Cooktop Electric

Christie cooktops are self-contained outdoor cooking appliances. They can be ordered with our pre-fabricated Modular or A Series cabinets, or installed in any built-in structure that meets relevant safety standards.



Our latest generation cooktop won an Australian Good Design Award. It is the current evolution in our ongoing refinement of the ultimate energy-efficient, long-lasting barbecue.

KEY FEATURES:

- Mono-pressed, 90% recycled stainless-steel grill plate with high contact element for exceptional heat dispersal and ease of cleaning
- 3.5kW High Efficiency design, engineered for repeat and continuous high volume cooking
- Unique sterilisation cycle for ultimate cooking safety and hygiene
- Highly sensitive micro-processor and control program that accurately maintains the optimum cooking temperature while conserving energy
- Intelligent self-diagnostics with fault codes and flashing warnings
- Aluminium heat shield reflects 80% of radiant energy from the underside back to the hotplate
- Fast, low cost plug-in connection for ease of installation and servicing
- Cooktops are shipped within five days of order confirmation and spare parts within one working day
- Two year Product Warranty backed by our qualified in-house support team

SPECIFICATIONS:

Rated voltage	230-240V AC
Rate current	15A
Element	3.5kW
Nominal target temp	255 degrees
Nominal cook time	20 min
Tare/Packed weight	19 kg / 23 kg
Connection	Preassembled power supply cord with 15A three pin plug and 1m long cord (AU/NZ) and 1.8m cord only (international)


Christie CC2 Cooktop Electric

Dimensions:


Width 600 mm
Depth 600 mm
Height 226 mm

Weight: 19 kg

Please note this cooktop is square



Top View



Front View

CHRISTIE

CC2 Cooktop

Gas

Christie cooktops are self-contained outdoor cooking appliances. They can be ordered with our pre-fabricated cabinets or installed in any built-in structure that meets relevant safety standards.



Our latest generation cooktop won an Australian Good Design award. It represents the current evolution in our ongoing refinement of the ultimate energy-efficient, long-lasting barbecue.

KEY FEATURES:

- Mono-pressed, 90% recycled stainless-steel grill plate with high contact element for exceptional heat dispersal and ease of cleaning
- Unique sterilisation cycle for ultimate cooking safety and hygiene
- Highly sensitive micro-processor and control program accurately maintains the optimum cooking temperature while conserving energy
- Intelligent self-diagnostics with fault codes and flashing warnings
- Flame sensor with automatic re-ignition
- Aluminum heat shield reflects 80% of radiant energy from the underside back to the hotplate
- Bayonet and socket fitting for fast, simple, low cost connection
- Cooktops are shipped within five days of order and spare parts within one working day
- Two year Product Warranty backed by our qualified in-house support team

SPECIFICATIONS:

Gas Type	LPG	Natural	ULPG	Min power supply	12.4 VDC
Nominal consumption	16.0MJ/hr	15.8MJ/hr	12.8MJ/hr	Power consumption	800mA ignition, 350mA cooking, 10mA standby
Injector size	1.1 mm	1.8 mm	0.95 mm	Nominal target temp	240 degrees
Min / Max supply pressure	2.75 / 3.50kPa	1.13 / 3.50kPa	2.75 / 3.50kPa	Nominal cook time	20 minutes
Operating pressure	2.60kPa	0.84kPa	2.60kPa	Tare/packed weight	21 kg / 25 kg

POWER SUPPLY:


Integrated 12V DC supply rated at a continuous 2A.

1. Mains power - 2.5A rated 240V/12V switch mode power supply (single appliance)
2. Battery kit - 12V 26AH SLA deep-cycle gel cell battery (single appliance)
3. Solar battery kit - 20W solar panel used in conjunction with option 1 above to recharge the battery


Dimensions:
Width 600 mm
Depth 600 mm
Height 226 mm

Weight: 21 kg

Please note this cooktop is square



Top View



Front View